

## Page 1 of 1

All amounts are calculated in domestic currency.

### Item Types

<b>Total Received Quantity:</b>	40.0000
<b>Total Qty to Inspect (PO U/M):</b>	0.0000
<b>Total Reject Quantity:</b>	0.0000
<b>Total Receipt Value:</b>	\$0.00
<b>Total Balance Due Quantity:</b>	0.0000



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 1 of 2

Shipment No:3248910

<b>Ship From:</b> A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN	<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
<b>Date Shipped</b> 11-APR-17	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> MANITOULIN
		<b>BOL No</b> 3248910-2	

Shipment Details

Final Destination Branch - TOR

<b>Order No</b> 4706819	<b>Line No</b> 1	<b>Item No</b> 750067.MO	<b>Description</b> 0.3750 PL 7075 T651 ALUMINUM 48.5000 144.5000 CUT 2SIDED TO 6 IN ( + .1250/- .0000 IN ) X 144.5 IN ( ) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12 Email P/s and certs to: clavoie@dartaero.com
<b>Purchase Order No</b> 35724	<b>Part Number</b>	<b>Ordered Qty</b> 1.00 PCS	<b>Invoice Qty</b> 1.00 PCS
<b>Details</b> ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS			
<b>Delivery No.</b> 120973885	<b>Mill</b> KAISER ALUMINUM	<b>Heat Number</b> 1178168811	<b>Mech Id</b> 1
		<b>Width (IN)</b>	<b>Length (IN)</b>
			<b>Shipped Qty(LBS)</b> 34.0636

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 11-APR-2017 03:25:11 PM



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 2 of 2

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date: Name:

SHIPPED APR 11 2017

*W. Randal*



*881-4-17*

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 11-APR-2017 03:25:11 PM

## SHIP TO:

A M CASTLE & CO  
3050 SOUTH HYDRAULIC  
WICHITA, KS 67216

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number

4431950

## SOLD TO:

AM CASTLE & CO- SOLD TO  
1420 KENSINGTON RD  
SUITE 220  
OAK BROOK, IL 60523

CUSTOMER PO NUMBER: 385598-1		WORK PACKAGE:		CUSTOMER PART NUMBER: 750967		SHIP RUN/LOAD: 103675/B		GOV'T CONTRACT NUMBER:			
KAISER ORDER NO: 1215472-1		SHIP DATE: 5-SEP-2016		ALLOY: 7075		CLAD: BARE		TEMPER: T651		PRODUCT DESCRIPTION: Sawed Plate	
WEIGHT SHIPPED: 3332 LB		QUANTITY: 12 PCS EST.		TRUCK B/L #: 2062279		GAUGE: 0.3750 IN ( 9.5250 MM)		DIAMETER/WIDTH: 48.500 IN (1231.9 MM)		LENGTH: 144.500 IN (3670.3 MM)	

MHU 2026201: LOT 178168B1: 12 pieces;

### Certified Specifications

AMS 4045/RevL  
CMMP 025/RevV

AMS-QQ-A-250/12/RevA

ASTM B 209/Rev14

Test Code: 1512

Lot: 178168B1

Cast 211

Drop 65

### Test Results

Ingot 1

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	85.1 : 85.6 (587 : 590)	75.6 : 76.2 (521 : 525)	12.8 : 13.6

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.17	1.5	0.03	2.5	0.19	5.7	0.03	0.01	0.01	TOT 0.05

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

### ORDER COMMENTS

AMC CA-15409 R 3



Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4431950

### CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

- \* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.
- \* All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.
- \* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- \* has been thermally processed in compliance with AMS 2772, where applicable.
- \* is mercury free, within the limits of detection of ASTM E1215 (< 1ppm).
- \* is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- \* is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates.
- \* is free of Conflict Minerals as defined in Section 15.2 of the Dodd-Frank Act.
- \* is free of weld repair.
- \* meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, TECHNICAL PROCESS MANAGER



Castle Metals®

A. M. Castle & Co.


PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 1 of 2

Shipment No:3248910

<b>Ship From:</b> A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
<b>Date Shipped</b> 11-APR-17	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> MANITOU LIN	<b>BOL No</b> 3248910-2			

Shipment Details

<b>Order No</b> 4706819	<b>Line No</b> 2	<b>Item No</b> 750157.MO	<b>Description</b> 0.7500.P.L.7075.T651.ALUMINUM.USI.48.5000.144.5000. CUT 2SIDED TO 2 IN ( + .1250/- .0000 IN) X 144.5 IN ( ) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12 Email P/s and certs to: clavoie@dataero.com				
<b>Purchase Order No</b> 35724	<b>Part Number</b>	<b>Ordered Qty</b> 1.00 PCS	<b>Invoice Qty</b> 1.00 PCS				
<b>Details</b> ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@dataero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS							
<b>Delivery No.</b> 120973886	<b>Mill</b> KAISER ALUMINUM	<b>Heat Number</b>  2 0 8 9 0 3 8 5	<b>Mech Id</b> 1	<b>PCS</b>	<b>Width (IN)</b>	<b>Length (IN)</b>	<b>Shipped Qty(LBS)</b> 22.6215

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or as otherwise authorized by U.S. law and regulations.

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 11-APR-2017 03:25:11 PM



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 2 of 2

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A M Castle & Co within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative

Date: Name:

SHIPPED APR 11 2017

*M. Randal*



*8017-4-17*

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 11-APR-2017 03:25:11 PM

**KAISER ALUMINUM**  
Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

# CERTIFIED TEST REPORT

Serial Number  
4449135

SHIP TO:  
A M CASTLE & CO  
3050 SOUTH HYDRAULIC  
WICHITA, KS 67216

SOLD TO:  
AM CASTLE & CO - SOLD TO  
1420 KENSINGTON RD  
SUITE 220  
OAK BROOK, IL 60523

CUSTOMER PO NUMBER:		409770-1	WORK PACKAGE:		750157	SHIP RUN/LOAD:		103813/18	GOVT CONTRACT NUMBER:		
KAISER ORDER NO:		1228366-1	SHIP DATE:		25-JAN-2017	ALLOY:		7075	CLAD:		BARE
WEIGHT SHIPPED:		3794 LB	QUANTITY:		7 PCS EST.	TRUCK B/L #:		2064847	GAUGE:		0.7500 IN (19.0500 MM)
									DIAMETER/MIDTH:		48.500 IN (1231.9 MM)
									LENGTH:		144.500 IN (3670.3 MM)
									PRODUCT DESCRIPTION:		Saved Plate

## Certified Specifications

AMS 4045/RevL  
ASTM B 209/Rev 14  
BSS 7055/RevB  
DPS 4.713/RevAK  
PS 21211/RevP  
AMS-00-A-250/12/RevA  
ASTM B 594/Rev 13  
CMMP 025/RevV  
GAMPS 9101/RevB/AmdSCN1  
AMS-STD-2154/RevA  
BAC 5439/RevJ  
CSTI 006/RevE  
GSS16100/RevG/Amd1

Test Code: 1512  
Lot: 208903B5  
Cast 354  
Drop 72  
Ingot 3

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:

Temper

Dir / # Tests  
LT / 2 (Min:Max)

Ultimate KSI (MPa)  
82.8 : 82.8  
(571 : 571)

Yield KSI (MPa)  
72.4 : 72.5  
(499 : 500)

Elongation %  
13.0 : 13.0

(ASTM E1251)  
Chemistry:  
Actual(wt%)

SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	OTHER
0.07	0.16	1.5	0.03	2.5	0.21	5.5	0.03	0.01	0.01	0.01	0.05

## ALLOY LIMITS

7075	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS

AMC CA-15403 R 8







Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4449135

### TEST NOTES

Metal represented by this test report was 100% Type I (immersion) ultrasonically tested from one side with 3mm dead zones top and bottom and meets the Class A and Class B requirements of all specifications referenced on this test report. No surface marking of sonic indications is performed.

### CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

\* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.

All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.

\* was melted in the United States of America or a qualifying country per DFARS 225.672-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.

\* has been thermally processed in compliance with AMS 2772, where applicable.

\* is mercury free, within the limits of detection of ASTM E1215 (< 1 ppm).

\* is in compliance with RoHS 2, European Union Directive 2011/65/EU.

\* is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates.

\* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.

\* is free of weld repair.

\* meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on this certificate may be punished as a felony under applicable law.

JAMES HEMMENWAY, TECHNICAL PROCESS MANAGER





Castle Metals®

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE


Page 1 of 2

Shipment No.:3248910

<b>Ship From:</b> A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN	<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
<b>Date Shipped</b> 11-APR-17	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> MANITOU LIN
		<b>BOL No</b> 3248910-2	

Shipment Details

Final Destination Branch - TOR

<b>Order No</b> 4706819	<b>Line No</b> 3	<b>Item No</b> 752188.MO	<b>Description</b> 1.0000.P.L.7075.T651.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 5 IN (+.1250/.0000 IN) X 144.5 IN ( ) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12 Email P/s and certs to: clavoie@dartaero.com
<b>Purchase Order No</b> 35724	<b>Part Number</b>	<b>Ordered Qty</b> 1.00 PCS	<b>Invoice Qty</b> 1.00 PCS
<b>Details</b>	ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS		
<b>Delivery No.</b> 120973957	<b>Mill</b>	<b>Heat Number</b>  787564441	<b>Mech Id</b> PCS 1
		<b>Width (IN)</b>	<b>Length (IN)</b>
			<b>Shipped Qty(LBS)</b> 75.2348

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 11-APR-2017 03:25:11 PM



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 2 of 2

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A. M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative

Date: Name:

SHIPPED APR 11 2017

*M. Randall*



*817-4-17*

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 11-APR-2017 03:25:11 PM

## SHIP TO:

A M CASTLE METALS  
4175 ROYAL DRIVE, SUITE 600  
KENNESAW, GA 30144

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

## SOLD TO:

AM CASTLE & CO- SOLD TO  
1420 KENSINGTON RD  
SUITE 220  
OAK BROOK, IL 60523

## CERTIFIED TEST REPORT

## Serial Number

4419943

CUSTOMER PO NUMBER: 383160		WORK PACKAGE:		CUSTOMER PART NUMBER: 752188		SHIP RUN/LOAD: 103575/11		GOV'T CONTRACT NUMBER:		
KAISER ORDER NO: 1214391		LINE ITEM: 1	SHIP DATE: 26-MAY-2016		ALLOY: 7075	CLAD: BARE	TEMPER: T651	PRODUCT DESCRIPTION: KaiserSelect Plate		
WEIGHT SHIPPED: 3610 LB		QUANTITY: 5 PCS EST.		TRUCK B/L #: 2060482		GAUGE: 1.0000 IN (25.4000 MM)		DIAMETER/WIDTH: 48.500 IN (1231.9 MM)		LENGTH: 144.500 IN (3670.3 MM)

MHU 2005043: LOT 787564A4: 5 pieces;

## Certified Specifications

AMS 4045/RevK  
ASTM B 209/Rev14  
BSS 7055/RevB  
DPS 4.713/RevAK  
PS 21211/RevP

AMS-QQ-A-250/12/RevA  
ASTM B 594/Rev13  
CMMP 025/RevU  
GAMPS 9101/RevB/AmdSCN1

AMS STD-2154/RevA  
BAC 5439/RevJ  
CSTI 006/RevE  
GSS16100/RevG/Amd1

Test Code: 1512

## Test Results

Lot: 787564A4 Cast 189 Drop 62 Ingot 3 Parent Lot: 17395283 Melted in USA

(ASTM E8/B557)  
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	82.8 : 83.1 (571 : 573)	73.3 : 73.8 (505 : 509)	13.5 : 13.7

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.05	0.11	1.5	0.01	2.6	0.20	5.7	0.02	0.01	0.01	TOT 0.05

JUN 01 2016



# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4419943

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS  
AMC CA 15403 R 8

### TEST NOTES

Metal represented by this test report was 100% Type I  
(immersion) ultrasonically tested from one side with 3mm  
dead zones top and bottom and meets the Class A and Class B  
requirements of all specifications referenced on this test  
report. No surface marking of sonic indications is  
performed

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO 9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:  
\* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.  
\* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.  
\* has been thermally processed in compliance with AMS 2772, where applicable.  
\* is mercury free, within the limits of detection of ASTM E1251-02 - 1ppm.  
\* is in compliance with RoHS 2, European Union Directive 2011/65/EU.  
\* is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA REACH regulations, (EC) n°1907/2006.  
\* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd Frank Act.  
Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



JAMES HEMENWAY, TECHNICAL PROCESS MANAGER



**Castle Metals®**

A. M. Castle & Co.

**PACKING SLIP/  
CERTIFICATE OF CONFORMANCE**

Page 1 of 2

Shipment No: 3248910


<b>Ship From:</b> A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
<b>Date Shipped</b> 11-APR-17	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> MANITOU LIN	<b>BOL No</b> 3248910-2

<b>Shipment Details</b>	<b>Final Destination Branch - TOR</b>
-------------------------	---------------------------------------

<b>Order No</b> 4706819	<b>Line No</b> 4	<b>Item No</b> 752132.MO	<b>Description</b> 4.0000.PL.7075.T7351.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 48.5 IN ( + .1250/- .0000 IN) X 4 IN ( + .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12 Email P/s and certs to: clavoie@dartaero.com
<b>Purchase Order No</b> 35724	<b>Part Number</b>	<b>Ordered Qty</b> 1.00 PCS	<b>Invoice Qty</b> 1.00 PCS

**Details**  
ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY  
ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX: HEAT #S  
Email P/s and certs to: clavoie@dartaero.com  
END USER: DART AEROSPACE  
END USE: COMMERCIAL AIRCRAFT PARTS

82174-17

<b>Delivery No.</b> 120973887	<b>Mill</b> KAISER ALUMINUM	<b>Heat Number</b>  2 0 5 8 3 2 8 9	<b>Mech Id</b> 1	<b>PCS</b> 1	<b>Width (IN)</b>	<b>Length (IN)</b>	<b>Shipped Qty(LBS)</b> 80.4138
----------------------------------	-----------------------------------	--	---------------------	-----------------	-------------------	--------------------	------------------------------------

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 11-APR-2017 03:25:11 PM



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 2 of 2

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A. M. Castle & Co. within 60 days of the shipment. Material cut to the correct size or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative

Date: Name:

SHIPPED APR 11 2017

*M. Rander*



*8/14/17*

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 11-APR-2017 03:25:11 PM

**SHIP TO:**

A M CASTLE & CO  
3050 SOUTH HYDRAULIC  
WICHITA, KS 67216

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

**SOLD TO:**

AM CASTLE & CO- SOLD TO  
1420 KENSINGTON RD  
SUITE 220  
OAK BROOK, IL 60523

**CERTIFIED TEST REPORT**

Serial Number  
4447772

CUSTOMER PO NUMBER: 409171-1	WORK PACKAGE:	CUSTOMER PART NUMBER: 752132	SHIP RUN/LOAD: 103802/7	GOVT CONTRACT NUMBER:	
KAISER ORDER NO: 1227881-1	SHIP DATE: 14-JAN-2017	ALLOY: 7075	CLAD: BARE	TEMPER: T7351	PRODUCT DESCRIPTION: KaiserSelect Plate
WEIGHT SHIPPED: 5686 LB	QUANTITY: 2 PCS EST.	TRUCK B/L #: 2064654	GAUGE: 4.0000 IN (101.6000 MM)	DIAMETER/WIDTH: 48.500 IN (1231.9 MM)	LENGTH: 144.500 IN (3670.3 MM)

MHU 2078619: LOT 205832B9: 1 pieces;

MHU 2078620: LOT 205832B9: 1 pieces;

**Certified Specifications** DAS

AMS 4078/RevJ  
ASTM B 209/Rev14  
BSS 7055/RevB  
DPS 4.713/RevAK  
MMS 159/RevT

AMS-QQ-A-250/12/RevA 9-89  
ASTM B 594/Rev13  
CMMP 025/RevV  
GAMPS 9101/RevB/AmdSCN1  
PS 21211/RevP

AMS-STD-2154/RevA  
BAC 5439/RevJ  
CSTI 006/RevE  
GSS16100/RevG/Amd1

Test Code: 4297

Lot: 205832B9

Cast 356

Drop 01

**Test Results**

Ingot 2

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	65.6 : 65.8 (452 : 454)	53.0 : 53.1 (365 : 368)	11.6 : 11.7

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	41.7 Min	41.8 Max
(MS/M) :	24.2 Min	24.2 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.07	0.12	1.5	0.02	2.5	0.19	5.8	0.02	0.01	0.01	TOT 0.05





# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4447772

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

### ORDER COMMENTS

AMC CA-15413E R 6

### TEST NOTES


Metal represented by this test report was 100% Type I  
(immersion) ultrasonically tested from one side with 3mm  
dead zones top and bottom and meets the Class A and Class B  
requirements of all specifications referenced on this test  
report. No surface marking of sonic indications is  
performed.

### CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

- has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.
- All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.
- was melted in the United States of America or a qualifying country per DFARS 225 872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252 225 for domestic content.
- has been thermally processed in compliance with AMS 2772, where applicable.
- is mercury free, within the limits of detection of ASTM E1215 (< 1ppm).
- is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates.
- is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
- is free of weld repair.
- meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced, in whole or in part, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on this certificate may be punished as a felony under federal law.



JAMES HEMENWAY, TECHNICAL PROCESS MANAGER



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075TGB000X1000  
 DATE: 17-04-17

PO / BATCH NO: 0035724/1137300

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 12'  
 QUANTITY INSPECTED: 12'  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 1"  
 THICKNESS RECEIVED: 1"  
 SHEET SIZE ORDERED: N/A  
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N <input type="radio"/>	
CORRECT FINISH	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORROSION	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORRECT MATERIAL	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORRECT THICKNESS	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
PHOTO REQUIRED	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORRECT MATERIAL	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input type="radio"/> N <input checked="" type="radio"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input type="radio"/> N <input checked="" type="radio"/>	

AMS QQ A250  
 HT #78756444

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

<b>QC 18 INSPECTION</b>		<b>ENGINEERING SIGNOFF (if required)</b>	
INSPECTED BY: <u>CB</u>	<u>9</u>	SIGNED OFF BY: _____	
DATE: <u>17-04-17</u>	<u>0.80</u>	DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075tcB3.c00x0.750

PO / BATCH NO: Q035724/1137300

DATE: 17-04-17

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: .750

QUANTITY RECEIVED: 12

THICKNESS RECEIVED: .750

QUANTITY INSPECTED: 12

SHEET SIZE ORDERED: N/A

QUANTITY REJECTED: 0

SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT FINISH	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORROSION	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT MATERIAL	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT THICKNESS	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT MATERIAL	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT REF # TO LINK CERT	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT MATERIAL IDENTIFICATION	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT M# ON THE MATERIAL	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	

AMS QQ-A250  
HT # 208903 B5

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION

ENGINEERING SIGNOFF (if required)

INSPECTED BY: OB

SIGNED OFF BY: \_\_\_\_\_

DATE: 17-04-17

DATE: \_\_\_\_\_

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075TCB0.375X6000

PO / BATCH NO Q035724/M137300

DATE: 17-04-17

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: .375

QUANTITY RECEIVED: 12

THICKNESS RECEIVED: .389

QUANTITY INSPECTED: 12

SHEET SIZE ORDERED: N/A

QUANTITY REJECTED: 0

SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT FINISH	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORROSION	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT MATERIAL	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT THICKNESS	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT MATERIAL	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT REF # TO LINK CERT	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT MATERIAL IDENTIFICATION	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT M# ON THE MATERIAL	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	

AMS QQ-A-350  
HT # 178168B1

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

<b>QC 18 INSPECTION</b>		<b>ENGINEERING SIGNOFF (if required)</b>	
INSPECTED BY: <u>CB</u>	<u>DAS</u> <u>9</u> <u>989</u>	SIGNED OFF BY: _____	
DATE: <u>17-04-17</u>		DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

## MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075773B4.00 X4.00

PO / BATCH NO: PC35724/M137300

DATE: 17-04-20

MATERIAL CERT REC'D: yes

QUANTITY RECEIVED: 4'

QUANTITY INSPECTED: 4'

QUANTITY REJECTED: 0

THICKNESS ORDERED: 4"

THICKNESS RECEIVED: 4"

SHEET SIZE ORDERED: N/A

SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL	(Y) N	
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT MATERIAL	(Y) N	
CORRECT REF # TO LINK CERT	(Y) N	<u>AMS QQ-A-250</u>
CORRECT MATERIAL IDENTIFICATION	(Y) N	<u>HT # 205832B9</u>
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>CB</u> DATE: <u>17-04-20</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

# PURCHASE ORDER

Purchase Order ID PO35724

Purchase Order Date 3/24/2017

PO Print Date 3/24/2017

Page Number 1 of 4

Order From :

VU-MET002

Ship To : DART AEROSPACE LTD

METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

MAR 24 2017

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	D6103-003P AS PER DWG D6103 REV. B B158468 MATERIAL: 7075-T7351 AS PER QQ-A-225/9 SIZE: 3.500" X 12.500" LONG	Round Alum Billet	4/13/2017 Yes 4/13/2017		20.00 Each	\$36.30	\$726.00
						Line Total:	\$726.00
2	D6104-003P AS PER DWG D6104 REV. B B158469 SIZE: 3.25" X 3.80" LONG MATERIAL: 17-4 PH AS PER AMS 5643 OR AISI 630	17-4 SS Roundbar 3.25"Od	4/13/2017 Yes 4/13/2017		10.00 Each	\$26.70	\$267.00
						Line Total:	\$267.00

Note:

3/24/2017



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO35724

Purchase Order Date 3/24/2017

PO Print Date 3/24/2017

Page Number 2 of 4

Order From :  
METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

I0127-2607

Net 30

USD

Destination-Collect

3	M7075T6B0.375X6.000	7075-T6 Plate 0.375" X 6.000", QQ-A 250/12	4/13/2017	FN	12.00	\$20.50	\$246.00
		Yes	4/13/2017		f		

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR  
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR  
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

4	M7075T6B2.000X00.750	7075-T6 BAR 2.000' X 0.750"	4/13/2017		12.00	\$25.32	\$303.84
		Yes	4/13/2017		f		

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR  
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR  
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Line Total: \$246.00

Line Total: \$303.84

Note:

3/24/2017



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO35724

Purchase Order Date 3/24/2017

PO Print Date 3/24/2017

Page Number 3 of 4

Order From :  
METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name  
Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

5	M7075T6B5.000X1.000	7075-T6 BAR 5.000" X 1.000"	4/13/2017	12.00	\$37.38	\$448.56
			Yes	f		
			4/13/2017			

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR  
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR  
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Line Total: \$448.56

6	M7075T73B4.000x4.000	7075-T73 Bar 4.0 x 4.0 grain direction along 4" wide	4/13/2017	4.00	\$124.25	\$497.00
			Yes	f		
			4/13/2017			

MATERIAL: 7075-T73/T73510/T73511 BAR AS PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 OR AMS 4124 OR AMS-QQ-A-250/12 OR AMS 4078

NOTE: GRAIN DIRECTION MUST RUN ALONG 4" WIDE

DAS  
9  
9-89

Line Total: \$497.00

7	M7075T73R1.000	7075-T73 Rd Bar 1.00	4/11/2017	36.00	\$7.80	\$280.80
			Yes	f		
			4/11/2017			

MATERIAL: 7075-T73 OR 7075-T7351/T73510/T73511 ROUND BAR  
AS PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9

Note:

3/24/2017





Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO35724

Purchase Order Date 3/24/2017

PO Print Date 3/24/2017

Page Number 4 of 4

**Order From :**

METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

VU-MET002

**Ship To :** DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

Line Total: \$280.80

8 71401-45

PROCUREMENT  
QUALITY CLAUSES

4/13/2017

1.00

\$0.00

\$0.00

No

4/13/2017

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

SP17-4/3

Line Total: \$0.00

PO Total: \$2,769.20

W  
CL

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Change Nbr: 2

Change Date: 3/24/2017